according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 1(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

ANTIFROGEN L

Material number: 107600

Chemical nature: Propane-1,2-diol (CASRN 57-55-6) with corrosion inhibitors

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industry sector : Functional Fluids
Type of use : Functional Fluids
Brine for refrigeration

1.3. Details of the supplier of the safety data sheet

Identification of the company

Clariant Produkte (Deutschland) GmbH

65926 Frankfurt am Main

Telephone no.: +49 69 305 18000

Information about the substance/mixture

BU Industrial & Consumer Specialties

Product Stewardship

e-mail: SDS.Europe@clariant.com

1.4. Emergency telephone number

00800-5121 5121 (24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

According to the present state of knowledge provided this product is handled correctly, there is no danger to humans or the environment

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 2(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

Remarks : No dangerous ingredients according to Regulation (EC) No.

1907/2006

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Remove/Take off immediately all contaminated clothing.

Move the victim to fresh air.

If inhaled : If inhaled, remove to fresh air.

Get medical advice/ attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known currently.

Risks : No hazards known at this time.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam

Dry powder

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

In case of fires, hazardous combustion gases are formed:

Carbon monoxide (CO) Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Self-contained breathing apparatus

Further information : Wear suitable protective equipment.

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 3(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not allow to enter drains or waterways

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Can be landfilled or incinerated, when in compliance with local

regulations.

6.4 Reference to other sections

Information regarding Safe handling, see chapter 7., For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special measures necessary if stored and handled as

prescribed.

Advice on protection against :

fire and explosion

Observe the general rules of industrial fire protection

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage : Keep away from oxidizing agents.

Do not store with strong alkalies.

7.3 Specific end use(s)

Specific use(s) : No further recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health	Value
			effects	

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 4(11)
Substance key: SXR089131 Revision Date: 20.03.2017
Version: 4 - 3 / EU Date of printing: 17.09.2018

Propylene Glycol CAS-No.: 57-55-6	Workers	Inhalation	Long-term systemic effects	168 mg/m3		
Remarks:	DNEL					
	Workers	Inhalation	Long-term local effects	10 mg/m3		
Remarks:	DNEL					
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3		
Remarks:	DNEL					
	Consumers	Inhalation	Long-term local effects	10 mg/m3		
Remarks:	DNEL					
	Consumers	Skin contact	Long-term systemic effects	213 mg/m3		
	Consumers	Ingestion	Long-term systemic effects	85 mg/m3		

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene Glycol CAS-No.: 57-55-6	Fresh water	260 mg/l
	Marine water	26 mg/l
	Water (intermittent release)	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Break through time : 480 min Glove thickness : 0,7 mm

Remarks : Long-term exposure Impervious butyl rubber gloves

Break through time : 30 min Glove thickness : 0,4 mm

Remarks : For short-term exposure (splash protection): Nitrile rubber

gloves.

Remarks : These types of protective gloves are offered by various

manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

Respiratory protection : Use respiratory protection in case of insufficient exhaust

ventilation or prolonged exposure

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 5(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

Full mask to standard DIN EN 136

Filter A (organic gases and vapours) to standard DIN EN 141 The use of filter apparatus presupposes that the environment atmosphere contains at least 17% oxygen by volume, and does not exceed the maximum gas concentration, usually 0.5% by volume. Relevant guidelines to be considered include EN 136/141/143/371/372 as well as other national

regulations.

Protective measures : Do not inhale vapours

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid

Colour : blue

Odour : perceptible

Odour Threshold : not tested.

pH : approx. 9 (20 °C)

Concentration: 300 g/l Method: DIN 19268

Melting point : approx. -58 °C

Method: DIN 51583

Boiling point : approx. 155 °C

(1.013 hPa)

Method: ASTM D 1120

Flash point : approx. 105 °C

Method: ASTM D6450 (closed cup)

Evaporation rate : not tested.

Burning number : Not applicable

Upper explosion limit : 12,6 %(V)

Data relate to solvent

Lower explosion limit : 2,6 %(V)

Data relate to solvent

Vapour pressure : < 0,01 kPa (20 °C)

Method: Calculated by Syracuse.

Relative vapour density : not tested.

Density : approx. 1,043 g/cm3 (20 °C)

Method: DIN 51757

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 6(11)

Substance key: SXR089131 Revision Date: 20.03.2017
Version: 4 - 3 / EU Date of printing: 17.09.2018

Bulk density : Not applicable

Solubility(ies)

Water solubility : miscible (20 °C)

Solubility in other solvents : not tested.

Solvent: fat

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : > 450 °C

Method: DIN 51794

Decomposition temperature : > 250 °C

Method: DSC

Measurement under nitrogen

Viscosity

Viscosity, dynamic : approx. 62 mPa.s

Method: calculated

Viscosity, kinematic : approx. 59 mm2/s (20 °C)

Method: DIN 51562

Explosive properties : no data available

Oxidizing properties : Not applicable

9.2 Other information

Metal corrosion rate : < 6,25 mm/a

Minimum ignition energy : not tested.

Particle size : Not applicable

Self-ignition : The substance or mixture is not classified as self heating.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3. "Possibility of hazardous reactions"

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reactions with strong alkalies.

Incompatible with oxidizing agents.

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 7(11)

Substance key: SXR089131 Revision Date: 20.03.2017
Version: 4 - 3 / EU Date of printing: 17.09.2018

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : not known

10.6 Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 423

Remarks: By analogy with a product of similar composition

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Result: not determined

Serious eye damage/eye irritation

Product:

Result: not determined

Respiratory or skin sensitisation

Product:

Remarks: not tested.

Germ cell mutagenicity

Product:

Germ cell mutagenicity-

Assessment

: No information available.

Carcinogenicity

Product:

Carcinogenicity -

: No information available.

Assessment

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 8(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

No information available.

No information available.

STOT - single exposure

Product:

Remarks: not tested.

STOT - repeated exposure

Product:

Remarks: not tested.

Repeated dose toxicity

Product:

Remarks: not tested.

Further information

Product:

Remarks: The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1.400 mg/l

Exposure time: 48 h

Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 g/l

Method: OECD Test Guideline 202

Remarks: By analogy with a product of similar composition

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): > 1.000 mg/l

Method: OECD Test Guideline 201

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC10 : > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: By analogy with a product of similar composition

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 9(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

12.2 Persistence and degradability

Product:

Biodegradability : Biodegradation: 99 %

Exposure time: 2 d

Method: OECD Test Guideline 302B

Remarks: Information refers to the main component.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

12.4 Mobility in soil

Product:

Distribution among

environmental compartments

: Remarks: not tested.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Environmental fate and

pathways

: no data available

Additional ecological

information

The classification was made by the conventional (calculation)

method of the CLP Regulation (EC) No 1272/2008.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14: Transport information

Section 14.1. to 14.5.

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 10(11)

Substance key: SXR089131 Revision Date: 20.03.2017

Version: 4 - 3 / EU Date of printing: 17.09.2018

ADR not restricted
ADN not restricted
RID not restricted
IATA not restricted
IMDG not restricted

14.6. Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code (International Bulk Chemicals Code)

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Volatile organic compounds : Directive 1999/13/EC on the limitation of emissions of volatile

organic compounds

Remarks: According to the composition the product contains no VOC component as defined by Directive 1999/13/EC.

Directive 2004/42/EC

Remarks: According to the composition, the product contains no VOC components as defined by Directive 2004/42/EC.

Other regulations:

The shold limit value (German MAK-value) not determined.

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

15.2 Chemical safety assessment

No Chemical Safety Assessment (CSA) is yet available for the substance, or for the component substances, contained in this product.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally

according to Regulation (EC) No. 1907/2006



ANTIFROGEN L Page 11(11)

Substance key: SXR089131 Revision Date: 20.03.2017
Version: 4 - 3 / EU Date of printing: 17.09.2018

Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : Observe national and local legal requirements

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

REG_EU / EN